



© 2006 The Authors
Journal compilation © 2006 Blackwell Publishing Ltd

Response	Percentage
U.S. should take action	85%
U.S. should not take action	15%

Downloaded from <http://www.sagepub.com> at NANYANG TECH UNIV LIBRARY on June 11, 2015

Age Group	Percentage
18-24	~1%
25-34	~28%
35-44	~18%
45-54	~15%
55-64	~12%
65-74	~10%
75-84	~8%
85+	~5%

Downloaded from <http://ajph.org/> on November 10, 2015

Downloaded from <http://ajph.org/> on November 10, 2015







Response	Percentage
U.S. should take action	78%
U.S. should not take action	22%





Downloaded from <http://ajph.org/> on November 10, 2014

© 2011 Pearson Education, Inc. All rights reserved. Printed in the United States of America. This publication is protected by copyright. Any unauthorized reproduction or distribution, in any form or by any means, without written permission from Pearson Education, Inc., is prohibited. All trademarks are the property of their respective owners.

© 2011 Pearson Education, Inc. or its affiliate(s). All rights reserved. Printed in the United States of America. This publication is protected by copyright. Any unauthorized reproduction or distribution, in any form or by any means, without written permission from Pearson Education, Inc., is prohibited. All trademarks are the property of their respective owners.

Age Group	Percentage
18-24	10%
25-34	20%
35-44	25%
45-54	20%
55-64	15%
65-74	10%
75-84	5%
85+	5%



Age Group	Percentage
18-24	10%
25-34	20%
35-44	25%
45-54	20%
55-64	15%
65-74	10%
75-84	5%
85+	5%

Age Group	Percentage
18-24	~1%
25-34	~35%
35-44	~25%
45-54	~15%
55-64	~10%
65-74	~5%
75-84	~2%
85+	~1%

1. *Journal of the American Medical Association*, 2000; 283: 2686-2692.



Age Group	Percentage
18-24	10%
25-34	15%
35-44	20%
45-54	25%
55-64	20%
65-74	15%
75-84	10%
85+	5%

Age Group	Percentage
18-24	10%
25-34	15%
35-44	20%
45-54	25%
55-64	20%
65-74	15%
75-84	10%
85+	5%

Response	Percentage
U.S. should take action	100%
Strongly agree	44%
Agree	56%
U.S. should not take action	0%
Disagree	0%
Strongly disagree	0%

Age Group	U.S. should take more action	U.S. should take less action
18-29	78%	22%
30-49	75%	25%
50-69	72%	28%
70+	68%	32%

Age Group	Percentage
18-24	10%
25-34	15%
35-44	20%
45-54	25%
55-64	20%
65-74	15%
75-84	10%
85+	5%



100



© 2006 The Authors
Journal compilation © 2006 Blackwell Publishing Ltd

Age Group	Percentage
18-24	18%
25-34	22%
35-44	15%
45-54	12%
55-64	10%
65-74	8%
75-84	5%
85+	3%







THE
UNIVERSITY OF CHICAGO

THE
UNIVERSITY OF CHICAGO



THE
END

THE
END



THE
END

THE
END



THE
END

THE
END



THE UNIVERSITY OF CHICAGO PRESS

CHICAGO, ILLINOIS 60607-7090
TEL: 773/936-3400 FAX: 773/936-4700



1871

1872

1873

1874



THE UNIVERSITY OF CHICAGO PRESS

CHICAGO, ILLINOIS 60607-7090
TEL: 773/936-3700 FAX: 773/936-3701



THE
THE
THE

THE
THE



100

100

100

100







1875

1875



THE
THE
THE

THE
THE

the 1990s, the incidence of *S. flexneri* infections in the United Kingdom has increased, and the incidence of *S. flexneri* infection in the United States has increased in the 1980s and 1990s [10].

There is a paucity of data on the incidence of *S. flexneri* infection in the United Kingdom. The only study of the incidence of *S. flexneri* infection in the United Kingdom was a study of the incidence of *S. flexneri* infection in the United Kingdom in the 1980s [11]. The incidence of *S. flexneri* infection in the United Kingdom in the 1980s was 1.5 cases per 100 000 population per year.

The purpose of this study was to determine the incidence of *S. flexneri* infection in the United Kingdom in the 1990s. The study was a retrospective study of the incidence of *S. flexneri* infection in the United Kingdom in the 1990s. The study was a retrospective study of the incidence of *S. flexneri* infection in the United Kingdom in the 1990s.

The study was a retrospective study of the incidence of *S. flexneri* infection in the United Kingdom in the 1990s. The study was a retrospective study of the incidence of *S. flexneri* infection in the United Kingdom in the 1990s. The study was a retrospective study of the incidence of *S. flexneri* infection in the United Kingdom in the 1990s.

The study was a retrospective study of the incidence of *S. flexneri* infection in the United Kingdom in the 1990s. The study was a retrospective study of the incidence of *S. flexneri* infection in the United Kingdom in the 1990s. The study was a retrospective study of the incidence of *S. flexneri* infection in the United Kingdom in the 1990s.

The study was a retrospective study of the incidence of *S. flexneri* infection in the United Kingdom in the 1990s. The study was a retrospective study of the incidence of *S. flexneri* infection in the United Kingdom in the 1990s. The study was a retrospective study of the incidence of *S. flexneri* infection in the United Kingdom in the 1990s.

The study was a retrospective study of the incidence of *S. flexneri* infection in the United Kingdom in the 1990s. The study was a retrospective study of the incidence of *S. flexneri* infection in the United Kingdom in the 1990s. The study was a retrospective study of the incidence of *S. flexneri* infection in the United Kingdom in the 1990s.

The study was a retrospective study of the incidence of *S. flexneri* infection in the United Kingdom in the 1990s. The study was a retrospective study of the incidence of *S. flexneri* infection in the United Kingdom in the 1990s. The study was a retrospective study of the incidence of *S. flexneri* infection in the United Kingdom in the 1990s.

The study was a retrospective study of the incidence of *S. flexneri* infection in the United Kingdom in the 1990s. The study was a retrospective study of the incidence of *S. flexneri* infection in the United Kingdom in the 1990s. The study was a retrospective study of the incidence of *S. flexneri* infection in the United Kingdom in the 1990s.



1881

1882

1883

1884



THE UNIVERSITY OF CHICAGO

THE UNIVERSITY OF CHICAGO PRESS